

RESTRICTED

**DEPARTMENT OF THE ARMY
SUPPLY CATALOG**

ORD 6 SNL A-35

SECTION 1

Group A

Tools, Maintenance, for Repair of Group A Matériel

*Section 1—Tool Sets for Maintenance of Small Caliber
Automatic and Semiautomatic Ground and Aircraft
Weapons (Caliber .30, .45, .50, and .60)*

Supersedes ORD 6 SNL A-35, Section 1, 1 July 1945

This pamphlet is correct to 5 April 1949

1. GENERAL INFORMATION. a. ORD 6 SNL A-35 consists of four separate sections, namely—

Section 1—Tool Sets for Maintenance of Small Caliber Automatic and Semiautomatic Ground and Aircraft Weapons (Caliber .30, .45, .50, and .60).

Section 2—Tool Sets for Maintenance of Antiaircraft Matériel (37-mm and 40-mm).

Section 3—Tool Sets for Maintenance of Automotive Mounts.

Section 4—Tool Sets for Maintenance of Intermediate Caliber Aircraft Weapons, Light Artillery Matériel and Mortars (20-, 37-, 60-, and 81-mm).

The tool sets listed in these sections are not issued for organizational maintenance. The maintenance tool sets listed herein are issued as required to ordnance maintenance companies and base shops; ordnance offices of army and oversea commands; and units of ordnance schools, replacement and unit training centers. These tool sets may be requisitioned to supplement and/or for use where similar tools are not available with the small arms repair truck or other ordnance maintenance trucks.

b. This pamphlet is supplemental to tables of organization and equipment, tables of basic allowances, and tables of allowances. It is imperative therefore that this be in the hands of all organizations and

establishments concerned. Special attention should be given to its distribution.

c. The Note Symbol column includes expendability and reference symbols. These may be letters such as *a* or *c*, or characters such as *%* or *#*, which are explained under the heading "NOTES"; or SNL designations such as *H-1* or *J-1*.

d. The Unit of Measure column lists the unit of measure used for each item. This may be an actual unit of measure, such as "oz," "lb," etc, or, merely the word "each" designated by "ea."

e. For full information relative to the Ordnance section of the Department of the Army Supply Catalog, including the purposes and uses thereof, the procedure followed, and the principles employed in its compilation, see ORD 1, Introduction and Index; and the Ordnance Provision System Regulations (OPSR).

2. SPECIAL INFORMATION. a. Ordnance installations will find classification codes in ORD 5-2, Alphabetical Index to Stock List of All Items, for Federal stock numbers listed herein.

b. For prices of items contained herein, see the appropriate pamphlet of ORD 5-3, Pricing Guide.

3. SUGGESTIONS. Notice of discrepancies or suggested changes should be directed to the Chief of Ordnance, Washington 25, D. C., ATTENTION: ORDFM-Pub.

**DEPARTMENT OF THE ARMY
WASHINGTON 25, D. C. 11 May 1949**

Department of the Army Supply Catalog ORD 6 SNL A-35, Section 1, is published for the information and guidance of all concerned.

[AG 461 (15 Apr 49)]

BY ORDER OF THE ACTING SECRETARY OF THE ARMY:

OFFICIAL:

EDWARD F. WITSELL
Major General
The Adjutant General

OMAR N. BRADLEY

Chief of Staff, United States Army

DISTRIBUTION:

Army:

Tech Sv (2); Arm & Sv Bd (2); AFF (2); OS Maj Comd (10);
Base Comd (2); MDW (3); A (ZI) (18), (Overseas) (3);
CHQ (2); D (2); R 9 (2); Bn 9 (2); C 9 (2); FC (1); USMA
(2); Sch (5); Gen Dep (1); Dep 9 (3); PE (Ord O) (5);
OSD (1); PG 9 (3); Ars 9 (3); Dist 9 (3); SPECIAL DIS-
TRIBUTION.

Air Force:

USAF (5); USAF Maj Comd (2); USAF Sub Comd (3); BU (1).
For explanation of distribution formula, see SR 310-90-1.

CONTENTS

Page

41-T-3537-486	TOOL SET, MAINTENANCE, FIELD, SMALL ARMS, GROUP A MATÉRIEL (COMMON TOOLS)-----	5
41-T-3537-485	TOOL SET, MAINTENANCE, BASE, SMALL ARMS, GROUP A MATÉRIEL (COMMON TOOLS)-----	5
41-K-226-500	KIT, TOOL, SMALL ARMS, SUPPLEMENTAL-----	8
41-T-3537-230	TOOL SET, MAINTENANCE, FIELD, INCLUDING INSPECTION TOOLS (FOR GUN, MACHINE, CAL. .30, BMG, M1917A1 AND MOUNTS; GUN, MACHINE, CAL. .30, BMG, M1919A4, M1919A5, M1919A6 AND MOUNTS; GUN, MACHINE, CAL. .30, BMG, AN-M2 (AIRCRAFT))-----	10
41-T-3537-232	TOOL SET, MAINTENANCE, BASE, INCLUDING INSPECTION AND RIVETING TOOLS AND FIXTURES (FOR GUN, MACHINE, CAL. .30, BMG, M1917A1 AND MOUNTS; GUN, MACHINE, CAL. .30, BMG, M1919A4, M1919A5, M1919A6 AND MOUNTS; GUN, MACHINE, CAL. .30, BMG, AN-M2 (AIRCRAFT))-----	10
	INSPECTION TOOLS FOR MACHINE GUN, CAL. .30, ALL TYPES (UNLESS OTHERWISE INDICATED)-----	12
	RIVETING TOOLS AND FIXTURES, CAL. .30 BMG-----	13
41-T-3537-236	TOOL SET, MAINTENANCE, FIELD (FOR GUN, MACHINE, CAL. .30, BROWNING, M1917A1)-----	16
41-T-3537-235	TOOL SET, MAINTENANCE, BASE (FOR GUN, MACHINE, CAL. .30, BROWNING, M1917A1)-----	16
41-T-3537-240	TOOL SET, MAINTENANCE, FIELD (FOR GUN, MACHINE, CAL. .30, BROWNING, M1919A4, M1919A5 AND M1919A6)-----	18
41-T-3537-239	TOOL SET, MAINTENANCE, BASE (FOR GUN, MACHINE, CAL. .30, BROWNING, M1919A4, M1919A5 AND M1919A6)-----	18
41-T-3537-243	TOOL SET, MAINTENANCE, FIELD (FOR GUN, MACHINE, CAL. .30, BROWNING, AN-M2, AIRCRAFT)-----	19
41-T-3537-242	TOOL SET, MAINTENANCE, BASE (FOR GUN, MACHINE, CAL. .30, BROWNING, AN-M2, AIRCRAFT)-----	19
41-T-3537-247	TOOL SET, MAINTENANCE, FIELD (FOR: GUN, MACHINE, CAL. .50, BMG, M2, WATER-COOLED, FLEXIBLE; AND MOUNTS----- GUN, MACHINE, CAL. .50, BMG, AN-M2, AIRCRAFT, BASIC. GUN, MACHINE, CAL. .50, BMG, M2, HEAVY BARREL, FIXED AND FLEXIBLE; AND GROUND MOUNTS. GUN, MACHINE, CAL. .50, BMG, M2, HEAVY BARREL, TURRET TYPE. GUN, MACHINE, CAL. .50, M3, AIRCRAFT, BASIC).-----	21

CONTENTS—Continued

	<i>Page</i>
41-T-3537-246 TOOL SET, MAINTENANCE, BASE (FOR: GUN, MACHINE, CAL. .50, BMG, M2, WATER- COOLED, FLEXIBLE; AND MOUNTS. GUN, MACHINE, CAL. .50, BMG, AN-M2, AIRCRAFT, BASIC. GUN, MACHINE, CAL. .50, BMG, M2, HEAVY BARREL, FIXED AND FLEXIBLE; AND GROUND MOUNTS. GUN, MACHINE, CAL. .50, BMG, M2, HEAVY BARREL, TURRET TYPE. GUN, MACHINE, CAL. .50, M3, AIRCRAFT, BASIC).	24
41-T-3537-251 TOOL SET, MAINTENANCE, FIELD (INSPEC- TION TOOLS FOR GUN, MACHINE, CAL. .50, BMG, M2, ALL TYPES)-----	24
41-T-3537-250 TOOL SET, MAINTENANCE, BASE (INSPECTION TOOLS FOR GUN, MACHINE, CAL. .50, BMG, M2, ALL TYPES)-----	24
41-T-3537-254 TOOL SET, MAINTENANCE, BASE (RIVETING TOOLS AND FIXTURES FOR CAL. .50 MA- CHINE GUN, ALL TYPES)-----	26
41-T-3537-258 TOOL SET, MAINTENANCE, FIELD (FOR GUN, MACHINE, CAL. .50, BMG, M2, WATER- COOLED, FLEXIBLE; AND MOUNTS)-----	28
41-T-3537-257 TOOL SET, MAINTENANCE, BASE (FOR GUN, MACHINE, CAL. .50, BMG, M2, WATER- COOLED, FLEXIBLE; AND MOUNTS)-----	28
41-T-3537-262 TOOL SET, MAINTENANCE, FIELD (FOR GUN, MACHINE, CAL. .60, T17E5)-----	30
41-T-3537-261 TOOL SET, MAINTENANCE, BASE (FOR GUN, MACHINE, CAL. .60, T17E5)-----	30
41-T-3537-264 TOOL SET, MAINTENANCE, FIELD (FOR: GUN, SUBMACHINE, CAL. .45, M3 AND M3A1)----- GUN, SUBMACHINE, CAL. .45, THOMPSON, M1928A1, M1 AND M1A1)-----	32
41-T-3537-263 TOOL SET, MAINTENANCE, BASE (FOR: GUN, SUBMACHINE, CAL. .45, M3 AND M3A1)----- GUN, SUBMACHINE, CAL. .45, THOMPSON, M1928A1, M1 AND M1A1)-----	32
41-T-3537-460 TOOL SET, MAINTENANCE, FIELD (FOR: RIFLE, AUTOMATIC, CAL. .30, BROWNING, M1918A2)-----	34
41-T-3537-459 TOOL SET, MAINTENANCE, BASE (FOR: RIFLE, AUTOMATIC, CAL. .30, BROWNING, M1918A2) INSPECTION TOOLS FOR RIFLE, AUTOMATIC, CAL. .30, BROWNING, M1918A2-----	34
SNL NUMBER OR CODE REFERENCE INDEX-----	36
STOCK NUMBER—SNL NUMBER OR CODE REFERENCE IN- DEX-----	66

RESTRICTED

MAINTENANCE TOOL SETS

(1) NOTE SYMBOL (INCL. EXP.)	(2) STOCK NO.	(3) ORDNANCE PART NO.	(4) FIG. NO.	(5) NOMENCLATURE	(6) UNIT OF MEAS- URE	(7) QUANTITY PER—	
						Tool set 41-T- 3537-486 (a)	Tool set 41-T- 3537-486 (b)
NX	41-T-3537-486	41-T-3537-486	-----	TOOL SET, MAINTENANCE, FIELD, SMALL ARMS, GROUP A MATÉRIEL (COMMON TOOLS) C			
NX	41-T-3537-485	41-T-3537-485	-----	TOOL SET, MAINTENANCE, BASE, SMALL ARMS, GROUP A MATÉRIEL (COMMON TOOLS) C			
				All items listed hereunder with quantities listed in column 7(a) are components of Tool Set, maintenance, field, small arms, group A matériel. The complete tool set may be requisitioned under stock No. 41-T-3537-486. However, any individual item may be requisitioned under its own stock number.			
				All items listed hereunder with quantities listed in column 7(b) are components of Tool Set, maintenance, base, small arms, group A matériel. The complete tool set may be requisitioned under stock No. 41-T-3537-485. However, any individual item may be requisitioned under its own stock number.			
J-17 X	41-B-1163-20	41-B-1163-20	-----	BLADE, saw, hack, hand, flexible, teeth per in. 24, width $\frac{1}{2}$ in., thickness 0.025 in., length 10 in.	ea	6	-----
M-5 NX	41-C-855	41-C-855	1⑥	CHEST, tool, empty, metal, commercial design, w/tray, size 9 x 8 x 22 in. ¹	ea	3	-----

¹ This chest may be supplied for other A-35 tool sets as required.

(1) NOTE SYMBOL (INCL. EXP.)	(2) STOCK NO.	(3) ORDNANCE PART NO.	(4) FIG. NO.	(5) NOMENCLATURE	(6) UNIT OF MEAS- URE	(7) QUANTITY PER—	
						Tool set 41-T- 3537-486 (a)	Tool set 41-T- 3537-485 (b)
				TOOL SET, MAINTENANCE, BASE, SMALL ARMS, GROUP A MATERIEL (COMMON TOOLS)—Continued			
J-17 NX	41-D-1470	41-D-1470	-----	DRIFT, br, rd, stght, diam $\frac{3}{8}$ in., length over-all 4 in.	ea	3	-----
J-17 NX	41-D-1525	41-D-1525	-----	DRIFT, br, rd, taper, point diam $\frac{3}{16}$ in., diam $\frac{1}{4}$ in., length over-all 4 in.	ea	3	-----
J-17 NX	41-F-870	41-F-870	-----	FILE, AS, flat, cut second, length point to shoulder 6 in.	ea	3	-----
J-17 NX	41-F-939	41-F-939	-----	FILE, AS, half-rd, cut second, length point to shoulder 6 in.	ea	3	-----
J-17 NX	41-F-1179	41-F-1179	-----	FILE, AS, mill, cut smooth, length point to shoulder 6 in.	ea	3	-----
J-17 NX	41-F-1317	41-F-1317	-----	FILE, AS, rd, cut second, length point to shoulder 8 in.	ea	3	-----
J-17 NX	41-F-1572	41-F-1572	-----	FILE, AS, three sq, cut smooth, length point to shoulder 6 in.	ea	3	-----
J-17 NX	41-F-2545	41-F-2545	-----	FILE, sw-patt, three-sq, cut No. 4, length point to shoulder 6 in.	ea	3	-----
J-17 NX	41-F-3394	41-F-3394	-----	FRAME, hacksaw, adj, pistol grip hdl, thumb nut tension style, cap. 8 to 12 in.	ea	2	-----
J-17 NX	41-G-411-6	41-G-411-6	-----	GAGE, thickness, No. of leaves 26, range 0.0015 to 0.025 in.	ea	3	2
J-17 NX	41-H-169-30	41-H-169-30	-----	HAMMER, br, rd, stght, weight 3 oz, diam $1\frac{1}{16}$ in., length $1\frac{1}{16}$ in.	ea	3	-----
J-17 NX	41-H-500	41-H-500	-----	HAMMER, lead, weight, 2 lb-----	ea	3	-----
J-17 NX	41-H-521	41-H-521	-----	HAMMER, machs, ball peen, weight $\frac{1}{2}$ lb-----	ea	3	-----

J-17	X	41-H-1116	41-H-1116	-----	HANDLE, file and tool, wood, size med, diam of hand grip $1\frac{1}{4}$ in.	ea	3	-----
J-17	NX	41-P-1652	41-P-1652	-----	PLIERS, comb., slip joint, w/cutter, nominal size 8 in.	ea	3	-----
J-17	NX	41-P-1839	41-P-1839	-----	PLIERS, lineman's, side cutting, length 8 in.	ea	3	-----
J-17	NX	41-P-1991	41-P-1991	-----	PLIERS, side cutting, long nose, length 6 in.	ea	3	-----
J-17	NX	41-P-1992-6	41-P-1992-6	-----	PLIERS, side cutting, parallel jaws, length 6 in.	ea	3	-----
J-17	NX	41-P-3185	41-P-3185	-----	PUNCH, center, oct or rd-knurled, diam $\frac{5}{8}$ in., length $4\frac{1}{2}$ in.	ea	2	-----
J-17	NX	41-P-3550	41-P-3550	-----	PUNCH, drive pin, diam of point 0.03 in., length over-all 3 in.	ea	3	-----
J-17	NX	41-P-3552	41-P-3552	-----	PUNCH, drive pin, diam of point 0.05 in., length over-all 3 in.	ea	3	-----
J-17	NX	41-P-3560	41-P-3560	-----	PUNCH, drive pin, diam of point 0.08 in., length over-all 3 in.	ea	3	-----
J-17	NX	41-P-3563	41-P-3563	-----	PUNCH, drive pin, diam of point 0.18 in., length over-all 3 in.	ea	3	-----
J-17	NX	41-P-3640	41-P-3640	-----	PUNCH, drive pin, solid, diam of point $\frac{1}{8}$ in., length 4 in.	ea	3	-----
J-17	NX	41-P-3601	41-P-3601	-----	PUNCH, drive pin, standard, diam of point $\frac{3}{32}$ in., length over-all 4 in.	ea	3	-----
J-17	NX	41-S-1101	41-S-1101	-----	SCREWDRIVER, common, normal duty, sgle grip, length of blade 3 in., width of blade $\frac{3}{16}$ in., length over-all 7 in.	ea	3	-----
J-17	NX	41-S-1104	41-S-1104	-----	SCREWDRIVER, common, normal duty, sgle grip, length of blade 6 in., width of blade $\frac{5}{16}$ in., length over-all $11\frac{1}{2}$ in.	ea	3	-----
J-17	NX	41-S-5577-150	41-S-5577-150	-----	STONE, sharpening, unmounted, artificial, triangular, grit fine, size $\frac{3}{8}$ x 4 in.	ea	2	-----
J-17	NX	41-W-485	41-W-485	-----	WRENCH, adj, sgle open end, length 6 in., jaw opng $\frac{3}{4}$ in.	ea	3	-----
J-17	NX	41-W-488	41-W-488	-----	WRENCH, adj, sgle open end, length 12 in., jaw opng $1\frac{1}{16}$ in.	ea	2	-----

(1)	(2)	(3)	(4)	(5)	(6)	(7)
NOTE SYMBOL (INCL. EXP.)	STOCK NO.	ORDNANCE PART NO.	FIG NO.	NOMENCLATURE	UNIT OF MEAS- URE	QUAN- TITY PER KIT-41- K-226- 500
	NX	41-K-226-500	41-K-226-500	KIT, TOOL, SMALL ARMS, SUPPLEMENTAL	\$	
				(To be issued in accordance with T/O&E allowance. Individual items within the kit may be issued separately for replacement.)		
A-19	X	A038-5504037	5504037	1③ BRUSH, cleaning, cal. .50, M4-----	ea	10
A-19	X	A032-6108828	6108828	1③ BRUSH, cleaning, chamber, M6 (bristle)-----	ea	2
A-67	X	A067-7162702	7162702	1③ BRUSH, cleaning, firing pin tunnel, cal. .50-----	ea	10
K-1	NX	38-B-3325	38-B-3325	--- s --- BRUSH, sash tool, oval, length of hdl including ferrule 8½ in., size 2 $\frac{7}{32}$ x $\frac{1}{2}$ x 1 $\frac{1}{4}$ in.	ea	6
A-19	NX	A038-5564274	5564274	1③ CASE, jointed cleaning rod and brush, cal. .50, M15-----	ea	1
M-5	NX	41-C-855	41-C-855	1⑥ CHEST, tool, empty, metal, commercial design, w/tray, size 9 x 8 x 22 in.	ea	1
J-17	NX	41-D-1470	41-D-1470	--- DRIFT, br, rd, stght, diam $\frac{3}{8}$ in., length over-all 4 in-----	ea	1
A-67	X	A067-7162704	7162704	1⑦ END, cleaning patch-----	ea	2
A-19	NX	41-E-557-50	41-E-557-50	1⑦ EXTRACTOR, ruptured cartridge case, cal. .50-----	ea	1
J-17	NX	41-G-411-6	41-G-411-6	--- GAGE, thickness, No. of leaves 26, range 0.0015 to 0.025 in.	ea	1
J-17	NX	41-P-3560	41-P-3560	--- PUNCH, drive pin, diam of point 0.08 in., length over- all 3 in.	ea	1
J-17	NX	41-P-3563	41-P-3563	--- PUNCH, drive pin, diam of point 0.18 in., length over- all 3 in.	ea	1

J-17	NX	41-P-3640	41-P-3640	----	PUNCH, drive pin, solid, diam of point $\frac{1}{8}$ in., length 4 in.	ea	1
A-19	NX	41-R-2331-25	41-R-2331-25	6⑥	REFLECTOR, barrel, cal. .50 BMG-----	ea	1
M-5	X	B006-0200080	C64102	6⑤	ROD, cleaning, cal. .45, M4, pistol-----	ea	2
A-19	X	A039-6535441	6535441	6⑤	ROD, cleaning, jointed, cal. .50, M7-----	ea	2
J-17	NX	41-R-3065	41-R-3065	----	RULE, S, stainless, spring tempered, No. 4 grad, length 12 in. (grad in 8ths, 16ths, 32ds, and 64ths).	ea	1
A-19	NX	41-T-3098	41-T-3098	8①	TOOL, firing pin spring, removing-----	ea	1
	NX	41-T-3269-75	41-T-3269-75	8②	TOOL, oil buffer, remover (for cal. .50 MG M2 and M3)-----	ea	1
	NX	41-T-3315-100	41-T-3315-100	8③	TOOL, release, buffer spring lock, length 10 in. (for cal. .50 MG).-----	ea	1
	NX	41-T-3378-80	41-T-3378-80	8③	TOOL, trunnion adapter (for cal. .50 MG)-----	ea	1
	NX	41-W-438	41-W-438	10②	WRENCH, adapter, spring ring (for cal. .50 MG)-----	ea	1
J-17	NX	41-W-485	41-W-485	----	WRENCH, adj, sgle open end, length 6 in., jaw opng $\frac{3}{4}$ in.	ea	1
J-17	NX	41-W-488	41-W-488	----	WRENCH, adj, sgle open end, length 12 in., jaw opng $1\frac{1}{16}$ in.	ea	1
	NX	41-W-867-786	41-W-867-786	10②	WRENCH, comb. (for cal. .50 MG M3)-----	ea	1
A-38	NX	41-W-867-808	41-W-867-808	10②	WRENCH, comb. (for cal. .50 MG)-----	ea	1
J-17	NX	41-W-1019-50	41-W-1019-50	----	WRENCH, engrs, angle 15 deg, alloy-S, size of opngs $\frac{7}{8}$ and 1 in.	ea	1
J-17	NX	41-W-3584	41-W-3584	----	WRENCH, tappet, dble open end, angle 15 deg each end, size of opngs $\frac{3}{4}$ and $\frac{7}{8}$ in.	ea	1

(1) NOTE SYMBOL (INCL. EXP.)	(2) STOCK NO.	(3) ORDNANCE PART NO.	(4) FIG. NO.	(5) NOMENCLATURE	(6) UNIT OF MEAS- URE	(7) QUANTITY PER—
					Tool set 41-T- 3537-230 (a)	Tool set 41-T- 3537-232 (b)
NX	41-T-3537-230	41-T-3537-230	-----	TOOL SET, MAINTENANCE, FIELD, INCLUDING INSPECTION TOOLS (FOR GUN, MACHINE, CAL. .30, BMG, M1917A1 and MOUNTS; GUN, MACHINE, CAL. .30, BMG, M1919A4, M1919A5, M1919A6 AND MOUNTS; GUN, MACHINE, CAL. .30, BMG, AN-M2 (AIRCRAFT)) 30M		
NX	41-T-3537-232	41-T-3537-232	-----	TOOL SET, MAINTENANCE, BASE, INCLUDING INSPECTION AND RIVETING TOOLS AND FIXTURES (FOR GUN, MACHINE, CAL. .30, BMG, M1917A1 AND MOUNTS; GUN, MACHINE, CAL. .30, BMG, M1919A4, M1919A5, M1919A6 AND MOUNTS; GUN, MACHINE, CAL. .30, BMG, AN-M2 (AIRCRAFT)) 30M		

All items with quantities indicated in column 7(a) are components of Tool Set, maintenance, field, including inspection tools. The complete tool set may be requisitioned under stock No. 41-T-3537-230. However, any individual item may be requisitioned under its own stock number.

					All items with quantities indicated in column 7(b) are components of Tool Set, maintenance, base, including inspection and riveting tools and fixtures. The complete tool set may be requisitioned under stock No. 41-T-3537-232. However, any individual item may be requisitioned under its own stock number.			
M-5	X	B021-5504035	5504035	1③	BRUSH, cleaning, cal. .30, M2 (wire) ² ----- or	ea	6	30
M-5	X	B003-5564174	5564174	1③	BRUSH, cleaning, cal. .30-----	ea	-----	-----
A-19	NX	41-E-557-200	41-E-557-200	1⑦	EXTRACTOR, ruptured cartridge, Mk IV-----	ea	3	9
J-17	NX	41-H-1510	41-H-1510	-----	HANDLE, soldering iron, length 5½ in-----	ea	1	1
J-17	NX	41-I-700	41-I-700	-----	IRON, soldering, non-electric, pyramid point, weight per pair 1 lb.	ea	1	1
A-19	NX	A005-7160646	7160646	-----	MACHINE, belt filling, complete----- Consisting of:	ea	-----	2
A-19	NX	A005-6535395	6535395	-----	1 CHEST, belt filling machine, w/o contents.			
A-19	NX	A019-0101240	6501262	2	1 MACHINE, belt filling, Browning, M1918.			
M-5	X	A006-6508237	6508237	6⑤	ROD, cleaning, jointed, cal. .30, M1 (3 sections, w/handle).	ea	6	30
M-5	NX	41-R-2705-27	41-R-2705-27	6④	ROLL, tool, canvas, empty, M12-----	ea	1	-----
J-17	NX	41-T-3655	41-T-3655	-----	TORCH, blow, gasoline, flat tank, cap. 1 pt-----	ea	1	1
A-19	NX	41-W-867-32	41-W-867-32	10①	WRENCH, comb., M6-----	ea	3	6
	NX	41-W-3336-770	41-W-3336-770	10①	WRENCH, tube handle screws-----	ea	3	6

² Issue until supply is exhausted; then use BRUSH and THONG 5564174.

(1) NOTE SYMBOL (INCL. EXP.)	(2) STOCK NO.	(3) ORDNANCE PART NO.	(4) FIG. NO.	(5) NOMENCLATURE	(6) UNIT OF MEAS- URE	(7) QUANTITY PER—	
						Field main- tenance	Base main- tenance
						(a)	(b)
INSPECTION TOOLS FOR MACHINE GUN, CAL. .30, ALL TYPES (UNLESS OTHERWISE INDICATED) 30I							
All items with quantities indicated in column 7(a) are available for field maintenance. All items with quantities indicated in column 7(b) are available for base maintenance. Each item will be requisitioned under its own stock number.							
J-17	NX	41-C-354	41-C-354	CALIPER, spring, outside, size 6 in-----	ea	1	1
	NX	41-C-467-161	41-C-467-161	CASE, wood, empty, location end gage, size 9 $\frac{1}{8}$ x 5 $\frac{1}{16}$ x 3 $\frac{1}{2}$ in. (for aircraft only).	ea	-----	1
	NX	41-C-467-157	41-C-467-157	CASE, wood, empty, master gage, size 8 x 2 $\frac{3}{4}$ x 2 $\frac{1}{8}$ in. (for aircraft only).	ea	-----	1
M-5	NX	41-G-29	41-G-29	GAGE, breech bore, cal. .30-----	ea	3	12
J-17	NX	41-G-139	41-G-139	GAGE, depth, micrometer, in case, range 0 to 2 $\frac{1}{2}$ x 0.001 in., base 2 $\frac{1}{4}$ in.	ea	-----	1
	NX	41-G-194-75	41-G-194-75	GAGE, firing pin protrusion (0.060 to 0.066 (for cal. .30 BMG (aircraft only)). ³	ea	-----	2
	NX	41-G-182-250	41-G-182-250	or			
				GAGE, firing pin protrusion, cal. .30, min 0.060 in., max 0.066 in. (for cal. .30 BMG AN-M2 (aircraft only)).	ea	-----	

	NX	41-G-194-85	41-G-194-85	-----	GAGE, firing pin protrusion, cal. .30, min 0.060 in., max 0.068 in. (for cal. .30 MG, except aircraft).	ea	3	4
A-28	NX	41-G-201-70	41-G-201-70	1⑩	GAGE, headspace and timing, cal. .30 (for aircraft only).	ea	-----	12
	NX	41-G-215	41-G-215	1⑩	GAGE, location of ends, belt feed lever, cal. .30 (for aircraft only).	ea	-----	1
	NX	41-G-228-50	41-G-228-50	1⑩	GAGE, master, belt feed lever, cal. .30 (for aircraft only).	ea	-----	1
	NX	41-G-182-50	41-G-182-50	1⑩	GAGE, plug, no go, diam 0.081 in., firing pin hole, cal. .30.	ea	3	6
	NX	41-G-337	41-G-337	-----	GAGE, snap, ears, width and span ⁴ ----- or	ea	-----	2
	NX	41-G-339-500	41-G-339-500	1⑩	GAGE, snap and width bottom plate ears, cal. .30 (for cal. .30 MG, except aircraft).	ea	-----	-----
	NX	41-G-181-300	41-G-181-300	1⑩	GAGE, timing, cal. .30 (for cal. .30 MG, except aircraft).	ea	1	2
M-5	NX	41-R-2330-975	41-R-2330-975	6⑥	REFLECTOR, barrel, cal. .30-----	ea	3	25
M-5	NX	41-R-2705-27	41-R-2705-27	6④	ROLL, tool, canvas, empty, M12-----	ea	1	-----

RIVETING TOOLS AND FIXTURES, CAL. .30 BMG 30R

All items with quantities indicated in column 7(b) are available for base maintenance. Each item will be requisitioned under its own stock number.

NX	41-A-284-155	41-A-284-155	1①	ANVIL, riveting (col. .30, BMG, M2, for riveting top plates to side plates).	ea	-----	1
NX	41-A-284-125	41-A-284-125	1①	ANVIL, riveting (cal. .30, BMG, M1917A1 and M1919A4).	ea	-----	1

³ To be issued until supply is exhausted; then use GAGE 41-G-182-250.

⁴ To be issued until supply is exhausted; then use GAGE 41-G-339-500.

(1) NOTE SYMBOL (INCL EXP.)	(2) STOCK NO.	(3) ORDNANCE PART NO.	(4) FIG. NO.	(5) NOMENCLATURE	(6) UNIT OF MEAS- URE	(7) QUANTITY PER-	
						Field main- tenance	Base main- tenance
						(a)	(b)
RIVETING TOOLS AND FIXTURES, CAL. .30 BMG 30R— Continued							
NX	41-A-284-210	41-A-284-210	1①	ANVIL, riveting, adj (cal. .30, BMG, AN-M2, for riveting bolt guiding rib to side plate).	ea	-----	1
NX	41-A-284-220	41-A-284-220	1①	ANVIL, riveting, adj (cal. .30, BMG, AN-M2, for riveting top plate to top plate bracket).	ea	-----	1
NX	41-A-284-215	41-A-284-215	1①	ANVIL, riveting, adj (cal. .30, BMG, AN-M2, for riveting trunnion block to side plate).	ea	-----	1
NX	41-A-284-205	41-A-284-205	1①	ANVIL, riveting, adj (cal. .30, BMG, AN-M2, for riveting bottom plate to side plate).	ea	-----	1
NX	41-A-284-550	41-A-284-550	1①	ANVIL, riveting, extractor cam and feed (cal. .30, BNG, M1917A1, M1919A4, M1915A5 and M1919A6).	ea	-----	1
NX	41-A-284-160	41-A-284-160	1①	ANVIL, riveting, trunnion block and side plates (cal. .30, BMG, AN-M2).	ea	-----	1
NX	41-B-1412-50	41-B-1412-50	1⑥	BLOCK, riveting (cal. .30, BMG, M1919A4, M1919A5 and M1919A6, for riveting short top plate rivet A20711 through side plates to top plate).	ea	-----	1
NX	41-E-34-500	41-E-34-500	1⑦	EXPANDER, adapter ears (cal. .30, BMG, M1917A1, M1919A4, M1919A5 and M1919A6).	ea	-----	2
NX	41-E-450	41-E-450	1⑦	EXPANDER, water jacket dents, complete (cal. .30, BMG, M1917A1).	ea	-----	1

NX	41-H-2365-500	41-H-2365-500	6①	HOLDER, rivets, bottom plate, cal. .30 BMG (all types).	ea	-----	1
NX	41-P-173	41-P-173	6①	PARALLEL, slide, spotting and riveting, side plate (all types).	ea	-----	1
NX	41-P-267-175	41-P-267-175	6②	PEIN, riveting, hand, cal. .30 BMG AN-M2	ea	-----	2
NX	41-P-268-120	41-P-268-120	6②	PEIN, riveting, machine, cal. .30 BMG (all types)	ea	-----	2
NX	41-P-268-140	41-P-268-140	6②	PEIN, riveting, machine, cal. .30 BMG (all types)	ea	-----	2
NX	41-P-268-110	41-P-268-110	6②	PEIN, riveting, machine, cal. .30 BMG (M1917A1 and M1919A4).	ea	-----	2
NX	41-P-268-90	41-P-268-90	6②	PEIN, riveting, machine, cal. .30 BMG (M1917A1, M1919A4, M1919A5 and M1919A6).	ea	-----	2
NX	41-P-268-130	41-P-268-130	6②	PEIN, riveting, machine, cal. .30 BMG AN-M2, for bolt guiding rib rivet A135279, bottom rib rivet A135270, and top plate rivet A135279).	ea	-----	2
NX	41-P-268-100	41-P-268-100	6②	PEIN, riveting, machine, cal. .30 BMG (AN-M2, for trigger motor pad rivet A135281 and oval head trunnion block rivet A135284).	ea	-----	2
NX	41-P-268-250	41-P-268-250	6②	PEIN, riveting, machine, all BMG	ea	-----	2
NX	41-P-2325-55	41-P-2325-55	6①	POST, anvil, riveting (cal. .30, BMG, AN-M2, for riveting cover detent bracket to trunnion block and side plate).	ea	-----	2
NX	41-P-2325-60	41-P-2325-60	6①	POST, anvil, riveting (for riveting trunnion block to side plate).	ea	-----	2
NX	41-P-2325-65	41-P-2325-65	6①	POST, anvil, riveting (cal. .30, BMG, M1917A1, M1919A4, M1919A5 and M1919A6, for riveting front and rear cartridge stops on right-hand side plate).	ea	-----	2
NX	41-P-2325-70	41-P-2325-70	6①	POST, anvil, riveting (cal. .30, BMG, M1917A1, M1919A4, M1919A5 and M1919A6, for riveting top plate to side plate).	ea	-----	2

(1) NOTE SYMBOL (INCL. EXP.)	(2) STOCK NO.	(3) ORDNANCE PART NO.	(4) FIG. NO.	(5) NOMENCLATURE	(6) UNIT OF MEAS- URE	(7) QUANTITY PER—	
						Tool set 41-T- 3537-236 (a)	Tool set 41-T- 3537-235 (b)
NX	41-T-3537-236	41-T-3537-236	-----	TOOL SET, MAINTENANCE, FIELD (FOR GUN, MACHINE, CAL. .30, BROWNING, M1917A1)	A-5		
NX	41-T-3537-235	41-T-3537-235	-----	TOOL SET, MAINTENANCE, BASE (FOR GUN, MACHINE, CAL. .30, BROWNING, M1917A1)	A-5	All items with quantities indicated in column 7(a) are components of Tool Set, Maintenance, Field (for Gun, Machine, Cal. .30, Browning, M1917A1). The complete tool set may be requisi- tioned under stock No. 41-T-3537-236. How- ever, any individual item may be requisitioned under its own stock number.	All items with quantities indicated in column 7(b) are components of Tool Set, Maintenance, Base (for Gun, Machine Cal. .30, Browning, M1917A1). The complete tool set may be requisi- tioned under stock No. 41-T-3537-235. How- ever, any individual item may be requisitioned under its own stock number.

	NX	57-B-13785	57-B-13785	1④	BURNER, gas, w/support (for assembling caps to water jacket).	ea	-----	1
A-19	NX	41-R-2734-150	41-R-2734-150	6④	ROLL, tool, canvas, empty, armorers', No. of pockets 24, size 26 $\frac{1}{4}$ x 14 $\frac{1}{2}$ in. - or -	ea	-----	
A-19	NX	24-R-148	24-R-148	6④	ROLL, tool, canvas, empty, armorers', olive drab, cotton duck No. 4. ⁵	ea	1	
	NX	41-S-4971	41-S-4971	7	STAND, holding, water cooled machine gun (cal. .30 BMG M1917A1).	ea	-----	1
	NX	41-T-1049-900	41-T-1049-900	8①	TAP, muzzle gland, 0.875 in., 24NS-3 in., cal. .30 BMG (M1917A1).	ea	-----	2
	NX	41-T-1565-700	41-T-1565-700	8①	TAP, water jacket, 0.622-24NS-3-----	ea	-----	2
J-17	NX	41-W-486	41-W-486	-----	WRENCH, adj, sgle open end, length 8 in., jaw opng 1 $\frac{1}{16}$ in.	ea	3	
A-5	NX	41-W-867-30	41-W-867-30	10①	WRENCH, comb., M5 (for mount, tripod, MG, cal. .30, M1917A1).	ea	3	6
A-5	NX	41-W-905-17	41-W-905-17	10①	WRENCH, elevating mechanism, M8-----	ea	1	6
	NX	41-W-3336-825	41-W-3336-825	10③	WRENCH, trunnion block-----	ea	-----	1
	NX	41-W-3814-625	41-W-3814-625	10③	WRENCH, water jacket-----	ea	-----	1
	NX	41-W-3336-875	41-W-3336-875	-----	WRENCH, water jacket end cap, length 20 $\frac{5}{8}$ in-----	ea	-----	1

⁵ To be issued until supply is exhausted; then use Roll 41-R-2734-150.

(1) NOTE SYMBOL (INCL. EXP.)	(2) STOCK NO.	(3) ORDNANCE PART NO.	(4) FIG. NO.	(5) NOMENCLATURE	(6) UNIT OF MEASURE	(7) QUANTITY PER—		
						Tool set 41-T- 3537-240 (a)	Tool set 41-T- 3537-239 (b)	
NX	41-T-3537-240	41-T-3537-240		TOOL SET, MAINTENANCE, FIELD (FOR GUN, MACHINE, CAL. .30, BROWNING, M1919A4, M1919A5 AND M1919A6) A-6				
NX	41-T-3537-239	41-T-3537-239		TOOL SET, MAINTENANCE, BASE (FOR GUN, MACHINE, CAL. .30, BROWNING, M1919A4, M1919A5 AND M1919A6) A-6				
				All items with quantities indicated in column 7(a) are components of Tool Set, Maintenance, Field (for Gun, Machine, Cal. .30, Browning, M1919A4, M1919A5 and M1919A6). The com- plete tool set may be requisitioned under stock No. 41-T-3537-240. However, any individual item may be requisitioned under its own stock number.				
				All items with quantities indicated in column 7(b) are components of Tool Set, Maintenance, Base (for Gun, Machine, Cal. .30, Browning, M1919A4, M1919A5 and M1919A6). The com- plete tool set may be requisitioned under stock No. 41-T-3537-239. However, any individual item may be requisitioned under its own stock number.				
A-6	NX	41-T-3081-40	41-T-3801-40	8③	TOOL, carbon removing, front barrel bearing-----	ea	3	6
	NX	41-W-2574	41-W-2574	10②	WRENCH, barrel bearing plug-----	ea	3	6

(1) NOTE SYMBOL (INCL EXP.)	(2) STOCK NO.	(3) ORDNANCE PART NO.	(4) FIG. NO.	(5) NOMENCLATURE	(6) UNIT OF MEASURE	(7) QUANTITY PER—	
						Tool set 41-T- 3537-243 (a)	Tool set 41-T- 3537-242 (b)
NX	41-T-3537-243	41-T-3537-243		TOOL SET, MAINTENANCE, FIELD (FOR GUN, MACHINE, CAL. .30, BROWNING, AN-M2, AIRCRAFT) A-28			
NX	41-T-3537-242	41-T-3537-242		TOOL SET, MAINTENANCE, BASE (FOR GUN, MACHINE, CAL. .30, BROWNING, AN-M2, AIRCRAFT) A-28			

(1) NOTE SYMBOL (INCL. EXP.)	(2) STOCK NO.	(3) ORDNANCE PART NO.	(4) FIG. NO.	(5) NOMENCLATURE	(6) UNIT OF MEAS- URE	(7) QUANTITY PER—	
						Tool set 41-T- 3537-243 (a)	Tool set 41-T- 3537-242 (b)
				TOOL SET, MAINTENANCE, BASE (FOR GUN, MACHINE, CAL. .30, BROWNING, AN-M2, AIRCRAFT)—Con. A-28			
J-17 NX	41-J-323	41-J-323	-----	JAW (pair), vise, cop., size 3 in-----	ea	1	-----
A-28 NX	A028-6535341	6535341	3	MACHINE, link loading, hand operated, M3, cap. 20 rd.	ea	-----	3
A-28 NX	41-T-3081-35	41-T-3081-35	8①	TOOL, carbon removing-----	ea	3	6
A-28 NX	41-T-3086	41-T-3086	8①	TOOL, comb-----	ea	3	-----
A-28 NX	41-T-3315	41-T-3315	8①	TOOL, release, length over-all 15½ in-----	ea	3	-----
J-17 NX	41-V-104	41-V-104	-----	VISE, bench, clamp base, width of jaws 3 in., jaw opng 3 in.	ea	1	-----
NX	41-W-3247-475	41-W-3247-475	10②	WRENCH, spanner, face, adj, diam of pin $\frac{3}{32}$ and $\frac{1}{8}$ in. stepped, length $6\frac{3}{8}$ in. (for trainer, MG, cal. .30, T9).	ea	3	3

(1) NOTE SYMBOL (INCL. EXP.)	(2) STOCK NO.	(3) ORDNANCE PART NO.	(4) FIG. NO.	(5) NOMENCLATURE	(6) UNIT OF MEAS- URE	(7) QUANTITY PER—	
						Tool set 41-T- 3537-247 (a)	Tool set 41-T- 3537-246 (b)
NX	41-T-3537-247	41-T-3537-247	-----	TOOL SET, MAINTENANCE, FIELD	50M		
NX	41-T-3537-246	41-T-3537-246	-----	TOOL SET, MAINTENANCE, BASE	50M		
				Tool Sets 41-T-3537-247 and 41-T-3537-246 are for maintenance of the following: GUN, MACHINE, CAL. .50, BMG, M2, WATERCOOLED, FLEXIBLE; AND MOUNTS. (SNL A-37) GUN, MACHINE, CAL. .50, BMG, AN-M2, AIRCRAFT, BASIC. (SNL A-38) GUN, MACHINE, CAL. .50, BMG, M2, HEAVY BARREL, FIXED AND FLEXI- BLE; AND GROUND MOUNTS. (SNL A-39) GUN, MACHINE, CAL. .50, BMG, M2, HEAVY BARREL, TURRET TYPE. (SNL A-59)			

(1) NOTE SYMBOL (INCL. EXP.)	(2) STOCK NO.	(3) ORDNANCE PART NO.	(4) FIG. NO.	(5) NOMENCLATURE	(6) UNIT OF MEASURE	(7) QUANTITY PER—						
						Tool set 41-T- 3537-247 (a)	Tool set 41-T- 3537-246 (b)					
TOOL SET, MAINTENANCE, BASE—Continued 50M												
GUN, MACHINE, CAL. .50, M3, AIR-CRAFT, BASIC. (SNL A-67)												
A-19 X A038-5504037 5504037	1⑧	BRUSH, cleaning, cal. .50, M4-----	ea	12	200							
A-19 X A032-6108828 6108828	1⑧	BRUSH, cleaning chamber, M6 (bristle)-----	ea	-----	144							
A-67 X A067-7162702 7162702	1⑧	BRUSH, cleaning, firing pin tunnel, cal. .50-----	ea	10	10							
NX 40-C-1145-100 40-C-1145-100	1⑥	COUNTERBORE, carb-S, retracting slide, assy-----	ea	3	3							
NX 41-C-2650-85 41-C-2650-85	1⑥	COUNTERSINK, trunnion block hole, cal. .50, M2 (HB only).	ea	-----	2							
A-67 X A067-7162704 7162704	1⑦	END, cleaning patch-----	ea	3	3							

A-19	NX	41-E-557-50	41-E-557-50	1⑦	EXTRACTOR, ruptured cartridge case, cal. .50-----	ea	3	6
J-17	X	41-H-1510	41-H-1510	-----	Handle, soldering iron, length 5½ in-----	ea	1	-----
J-17	NX	41-I-700	41-I-700	-----	IRON, soldering, non-electric, pyramid point, weight per pair 1 lb.	ea	1	-----
A-19	NX	A037-7160003	7160003	5	MACHINE, link-delinking, cal. .50, M7-----	ea	-----	3
M-5	X	B006-0200080	C64102	6⑤	ROD, cleaning, cal. .45, M4, pistol-----	ea	3	3
A-19	X	A039-6535442	6535442	6⑤	ROD, cleaning, cal. .50, M6-----	ea	-----	20
A-19	X	A039-6535441	6535441	6⑤	ROD, cleaning, jointed, cal. .50, M7-----	ea	3	-----
A-19	NX	41-R-2734-150	41-R-2734-150	6④	ROLL, tool, canvas, empty, armorers', No. of pockets 24, size 26¼ x 14½ in.	ea	1	-----
J-17	NX	41-R-3065	41-R-3065	-----	RULE, S, stainless, spring tempered, No. 4 grad, length 12 in. (grad in 8ths, 16ths, 32nd, and 64ths).	ea	2	2
	NX	41-T-3016-450	41-T-3016-450	8②	TOOL, assembling, bolt latch spring, cal. .50 BMG, M2.	ea	1	3
A-38	NX	41-T-3086-50	41-T-3086-50	8②	TOOL, comb., hook spanner and screwdriver, cal. .50 MG.	ea	3	3
A-19	NX	41-T-3098	41-T-3098	8①	TOOL, firing pin spring removing-----	ea	1	6
	NX	41-T-3269-75	41-T-3269-75	8②	TOOL, oil buffer remover-----	ea	1	2
	NX	41-T-3315-100	41-T-3315-100	8③	TOOL, release, buffer spring lock, length 10 in. (aircraft only).	ea	3	2
	NX	41-T-3378-80	41-T-3378-80	8③	TOOL, trunnion adapter (aircraft only)-----	ea	-----	3
J-17	NX	41-T-3655	41-T-3655	-----	TORCH, blow, gasoline, flat tank, cap. 1 pt-----	ea	1	-----
J-17	NX	41-V-104	41-V-104	-----	VISE, bench, clamp base, width of jaws 3 in., jaw opng 3 in.	ea	1	-----
	NX	41-W-438	41-W-438	10②	WRENCH, adapter, spring ring-----	ea	-----	3
A-38	NX	41-W-867-808	41-W-867-808	10②	WRENCH, comb-----	ea	3	6
J-17	NX	41-W-3584	41-W-3584	-----	WRENCH, tappet, dble open end, angle 15 deg each end, size of opngs ¾ and ⅜ in.	ea	3	3
	NX	41-W-3336-770	41-W-3336-770	10①	WRENCH, tube handle screws-----	ea	3	2

(1) NOTE SYMBOL (INCL. EXP.)	(2) STOCK NO.	(3) ORDNANCE PART NO.	(4) FIG. NO.	(5) NOMENCLATURE	(6) UNIT OF MEASURE	(7) QUANTITY PER—	
						Tool set 41-T- 3537-251 (a)	Tool set 41-T- 3537-250 (b)
NX	41-T-3537-251	41-T-3537-251	-----	TOOL SET, MAINTENANCE, FIELD (INSPECTION TOOLS FOR GUN, MACHINE, CAL. .50, BMG, M2, ALL TYPES) 50I			
NX	41-T-3537-250	41-T-3537-250	-----	TOOL SET, MAINTENANCE, BASE (INSPECTION TOOLS FOR GUN, MACHINE, CAL. .50, BMG, M2, ALL TYPES) 50I			
				All items with quantities indicated in column 7(a) are components of Tool Set, Maintenance, Field (Inspection Tools for Gun, Machine, Cal. .50, BMG, M2 All Types). The complete tool set may be requisitioned under stock No. 41-T-3537-251. However, any individual item may be requisitioned under its own stock number.			
				All items with quantities indicated in column 7(b) are components of Tool Set, Maintenance, Base (Inspection Tools for Gun, Machine, Cal. .50, BMG, M2, All Types). The complete tool set may be requisitioned under stock No. 41-T-3537-250. However, any individual item may be requisitioned under its own stock number.			
NX	41-C-467-159	41-C-467-159	1⑥	CASE, wood, empty, location end gage, cal. .50, BMG, M2, size $12\frac{1}{16}$ x $6\frac{1}{16}$ x $3\frac{1}{2}$ in. (for aircraft only).	ea	-----	1
NX	41-C-467-155	41-C-467-155	1⑧	CASE, wood, empty, master belt feed lever gage, cal. .50 BMG, M2, size $11\frac{1}{4}$ x $2\frac{3}{4}$ x $2\frac{1}{8}$ in. (for aircraft only).	ea	-----	1
NX	41-C-467-163	41-C-467-163	1⑥	CASE, wood, empty, profile gage, cal. .50 BMG, size $4\frac{1}{4}$ x $4\frac{1}{4}$ x $4\frac{1}{16}$ in. (for aircraft only).	ea	-----	1

J-17	NX	41-G-29-50	41-G-29-50	1⑨	GAGE, breech bore, cal. .50----- GAGE, depth, micrometer, in case, range 0 to 3 in., x 0.001 in., base 4 in. (also for gun, machine, cal. .50, M3, aircraft, basic).	ea	3	6
J-17	NX	41-B-345	41-B-345		Consisting of: 1 BASE, micrometer depth gage, w/ spindle, spindle movement 0 to 1 in., spindle grad 1/1000 in., base length 4 in., base width 1 $\frac{1}{32}$ in.	ea		1
J-17	NX	41-R-2585	41-R-2585		1 ROD, gage, depth, micrometer, range 0 to 1 in.			
J-17	NX	41-R-2587	41-R-2587		1 ROD, gage, depth, micrometer, range 1 to 2 in.			
J-17	NX	41-R-2589	41-R-2589		1 ROD, gage, depth, micrometer, range 2 to 3 in.			
A-19	NX	41-G-201-175	41-G-201-175	1⑨	GAGE, headspace and timing, cal. .50 (also for gun, machine, cal. .50, M3, aircraft, basic).	ea	3	12
	NX	41-G-217-500	41-G-217-500	1⑨	GAGE, location of ends, belt feed lever, cal. .50 (for aircraft only).	ea		1
	NX	41-G-228-75	41-G-228-75	1⑨	GAGE, master, belt feed lever, cal. .50 (for aircraft only).	ea		1
	NX	41-G-241	41-G-241	1⑩	GAGE, oil buffer rod, length (for aircraft and HB only).	ea		2
	NX	41-G-182-200	41-G-182-200	1⑨	GAGE, plug, no go, diam 0.084 in., firing pin hole, cal. .50.	ea	3	6
	NX	41-G-259	41-G-259	1⑨	GAGE, profile (max), belt feed pawl arm, cal. .50 (for aircraft only).	ea		1
A-19	NX	41-R-2331-25	41-R-2331-25	6⑥	REFLECTOR, barrel, cal. .50 BMG (also for gun, machine, cal. .50, M3, aircraft, basic).	ea	3	9
A-19	NX	41-R-2734-150	41-R-2734-150	6④	ROLL, tool, canvas, empty, armorers', No. of pockets 24, size 26 $\frac{1}{4}$ x 14 $\frac{1}{2}$ in.	ea	1	
	NX	41-S-4899	41-S-4899	6⑥	STAMP, S, five pointed star, $\frac{3}{16}$ in., length over- all 3 in. (for aircraft only).	ea		6

(1) NOTE SYMBOL (INCL. EXP.)	(2) STOCK NO.	(3) ORDNANCE PART NO.	(4) FIG. NO	(5) NOMENCLATURE	(6) UNIT OF MEAS- URE	(7) QUANTITY PER—	
						(a)	Tool set 41-T- 3537-254 (b)
NX	41-T-3537-254	41-T-3537-254	-----	TOOL SET, MAINTENANCE, BASE (RIVETING TOOLS AND FIXTURES FOR CAL. .50 MACHINE GUN, ALL TYPES) 50R			
				All items with quantities indicated in column 7(b) are components of Tool Set, Maintenance, Base (Riveting Tools and Fixtures for Cal. .50 Machine Gun, All Types). The complete tool set may be requisitioned under stock No. 41-T-3537-254. However, any individual item may be requisitioned under its stock number.			
NX	41-A-25-200	41-A-25-200	1②	ADAPTER, spindle, riveting machine, cal. .30 BMG (for use with Machine 41-M-39-450).	ea	-----	2
NX	41-A-284-175	41-A-284-175	1②	ANVIL, riveting (for riveting side plates to trunnion block).	ea	-----	1
NX	41-A-284-150	41-A-284-150	1②	ANVIL, riveting (for riveting top and bottom plates to side plates).	ea	-----	1
NX	41-A-284-200	41-A-284-200	1②	ANVIL, riveting, adj (for riveting side plate to bottom plate at receiver assy).	ea	-----	1
NX	41-A-284-250	41-A-284-250	1②	ANVIL, riveting, adj, parallel type (for riveting bolt latch bracket to side plate in assy).	ea	-----	1
NX	41-A-284-255	41-A-284-255	1②	ANVIL, riveting, adj, parallel type (for riveting top plate bracket to top plate in receiver assy).	ea	-----	1

NX	41-A-284-500	41-A-284-500	-	ANVIL, riveting, expanding (for riveting bolt latch bracket to top plate in assy).	ea	-	1
NX	41-A-284-450	41-A-284-450	1②	ANVIL, riveting, expanding (for riveting top plate to side plate at receiver assy).	ea	-	1
NX	40-M-39-450	40-M-39-450	4	MACHINE, riveting, elec operated-----	ea	-	1
NX	41-P-267-150	41-P-267-150	6③	PEIN, riveting, hand, cal. .50 BMG (for riveting belt holding pawl bracket to side plate).	ea	-	2
NX	41-P-267-20	41-P-267-20	6③	PEIN, riveting, hand, cal. .50 BMG (for bottom plate Rivet A9387, top plate Rivet A9500, and trunnion block Rivets A9799 and A13558).	ea	-	2
NX	41-P-268-250	41-P-268-250	6②	PEIN, riveting, machine (all BMG)-----	ea	-	2
NX	41-P-1543-125	41-P-1543-125	6③	PLATE, holding riveting, cal. .50 BMG (for supporting casting when riveting bottom plate to top plate).	ea	-	1
NX	41-P-2325-50	41-P-2325-50	6③	POST, anvil, riveting (for riveting belt holding pawl brackets to side plates).	ea	-	2
NX	41-P-2325	41-P-2325	6③	POST, anvil, riveting (for riveting trunnion block to side plates).	ea	-	2
NX	41-T-3338-275	41-T-3338-275	8②	TOOL, riveting, backing (cal. .50, BMG, M2)-----	ea	-	1

(1)	(2)	(3)	(4)	(5)	(6)	(7) QUANTITY PER--						
						NOTE SYMBOL (INCL. EXP.)	STOCK NO.	ORDNANCE PART NO.	FIG. NO.	NOMENCLATURE	UNIT OF MEASURE	Tool set 41-T-3537-258 (a)
NX	41-T-3537-258	41-T-3537-258	-----	TOOL SET, MAINTENANCE, FIELD (FOR GUN, MACHINE, CAL. .50, BMG, M2, WATERCOOLED, FLEXIBLE; AND MOUNTS) A-37								
NX	41-T-3537-257	41-T-3537-257	-----	TOOL SET, MAINTENANCE, BASE (FOR GUN, MACHINE, CAL. .50, BMG, M2, WATERCOOLED, FLEXIBLE; AND MOUNTS) A-37								

All items with quantities indicated in column 7(a) are components of Tool Set, Maintenance, Field (for Gun, Machine, Cal. .50, BMG, M2, Watercooled, Flexible; and Mounts). The complete tool set may be requisitioned under stock No. 41-T-3537-258. However, any individual item may be requisitioned under its own stock number.

All items with quantities indicated in column 7(b) are components of Tool Set, Maintenance, Base (for Gun, Machine, Cal. .50, BMG, M2, Watercooled, Flexible; and Mounts). The complete tool set may be requisitioned under stock No. 41-T-3537-257. However, any individual item may be requisitioned under its own stock number.

A-19	NX	41-W-530	41-W-530	10①	WRENCH, barrel holding-----	ea	3	12
J-17	NX	41-W-1000	41-W-1000	-----	WRENCH, engrs, angle 15 deg, dble open end, alloy-S, size of opngs $\frac{1}{16}$ and $\frac{1}{2}$ in.	ea	1	-----
J-17	NX	41-W-1008	41-W-1008	-----	WRENCH, engrs, angle 15 deg, dble-end, alloy-S, size of opngs $\frac{5}{8}$ and $\frac{3}{4}$ in.	ea	1	-----
J-17	NX	41-W-1019-50	41-W-1019-50	-----	WRENCH, engrs, angle 15 deg, dble-end, alloy-S, size of opngs $\frac{7}{8}$ and 1 in.	ea	1	-----
A-19	NX	41-W-867-849	41-W-867-849	-----	WRENCH, muzzle gland and adjusting screw-----	ea	3	-----
A-19	NX	41-W-3242-500	41-W-3242-500	10①	WRENCH, packing ring adjusting-----	ea	3	15
A-19	NX	41-W-3259-875	41-W-3259-875	10①	WRENCH, recoil spring guide nut (pin spanner, diam of circle $1\frac{1}{2}$ in., length $4\frac{3}{4}$ in.).	ea	3	3

(1) NOTE SYMBOL (INCL. EXP.)	(2) STOCK NO.	(3) ORDNANCE PART NO.	(4) FIG. NO.	(5) NOMENCLATURE	(6) UNIT OF MEAS- URE	(7) QUANTITY PER—	
						Tool set 41-T- 3537-262 (a)	Tool set 41-T- 3537-261 (b)
NX	41-T-3537-262	41-T-3537-262	-----	TOOL SET, MAINTENANCE, FIELD (FOR GUN, MACHINE, CAL. .60, T17E5) A-64			
NX	41-T-3537-261	41-T-3537-261	-----	TOOL SET, MAINTENANCE, BASE (FOR GUN, MACHINE, CAL. .60, T17E5) A-64			
				All items with quantities indicated in column 7(a) are components of Tool Set, Maintenance, Field (for Gun, Machine, Cal. .60, T17E5). The complete tool set may be requisitioned under stock No. 41-T-3537-262. However, any individual item may be requisitioned under its own stock number.			
				All items with quantities indicated in column 7(b) are components of Tool Set, Maintenance, Base (for Gun, Machine, Cal. .60, T17E5). The complete tool set may be requisitioned under stock No. 41-T-3537-261. However, any individual item may be requisitioned under its own stock number.			
A-64 X	A064-7161760	7161760	1③	BRUSH, cleaning, cal. .60-----	ea	6	24
A-64 X	A064-7161757	7161757	1⑥	CASE, cleaning rod, cal. .60-----	ea	2	2
NX	41-C-2555-55	41-C-2555-55	1④	COMPRESSOR, spring, adapter-----	ea	1	1
J-17 NX	41-H-1498-90	41-H-1498-90	-----	HANDLE, socket wrench, hinged, $\frac{3}{8}$ in. sq-drive, length 10 in.	ea	2	2

A-58	NX	41-R-2370-425	41-R-2370-425	6⑥	REMOVER, extractor and pin-----	ea	1	1
A-64	X	A064-7161750	7161750	6⑤	ROD, cleaning, jointed, cal. .60-----	ea	2	2
A-19	NX	41-R-2734-150	41-R-2734-150	6④	ROLL, tool, canvas, empty, armorers', No. of pockets 24, size 26 $\frac{1}{4}$ x 14 $\frac{1}{2}$ in.	ea	1	-----
J-17	NX	41-S-1076	41-S-1076	-----	SCREWDRIVER, common, hv-duty, integral hdl, length of blade 6 in., width of blade $\frac{3}{8}$ in., length over-all 11 $\frac{1}{4}$ in.	ea	2	2
J-17	NX	41-S-1100	41-S-1100	-----	SCREWDRIVER, common, normal duty, sgle grip, length of blade 2 in., width of blade $\frac{1}{4}$ in.	ea	2	2
J-17	NX	41-S-1102	41-S-1102	-----	SCREWDRIVER, common, normal duty, sgle grip, length of blade 4 in., width of blade $\frac{1}{4}$ in., length over-all 9 in.	ea	2	2
	NX	41-T-3366-51	41-T-3366-51	9	TOOL SET, special (electric charger)----- Consisting of:	set	1	1
	NX	41-A-339-17	41-A-339-17	9	1 ARBOR, nut, ball bearing, elec charger.			
	NX	41-F-3250	41-F-3250	9	1 FORK, elec charger.			
	NX	41-P-596-400	41-P-596-400	9	1 PIN, drift, elec charger.			
	NX	41-W-867-810	41-W-867-810	9	1 WRENCH, elec charger.			
	NX	41-W-3338-500	41-W-3338-500	9	1 WRENCH, elec charger.			
	NX	41-W-898	41-W-898	10②	WRENCH, edgewater adapter adj-----	ea	1	1
J-17	NX	41-W-991	41-W-991	-----	WRENCH, engrs, angle 15 deg, dble open end, alloy-S, size of opngs $\frac{3}{8}$ and $\frac{7}{16}$ in.	ea	1	1
J-17	NX	41-W-29999-50	41-W-2999-50	-----	WRENCH, socket (detachable), $\frac{3}{8}$ -in. sq-drive, 12 point, size of opng $\frac{3}{8}$ in.	ea	1	1
J-17	NX	41-W-2999-75	41-W-2999-75	-----	WRENCH, socket (detachable). $\frac{3}{8}$ in. sq-drive, 12 point, size of opng $\frac{7}{16}$ in.	ea	1	1
J-17	NX	41-W-2999-175	41-W-2999-175	-----	WRENCH, socket (detachable), $\frac{3}{8}$ in. sq-drive, 12 point, size of opng $\frac{3}{8}$ in.	ea	1	1
J-17	NX	41-W-3250-50	41-W-3250-50	-----	WRENCH, spanner, hook, adj, diam of circle range 2 to 4 $\frac{3}{4}$ in.	ea	1	1

(1)	(2)	(3)	(4)	(5)	(6)	(7) QUANTITY PER—	
NOTE SYMBOL (INCL. EXP.)	STOCK NO.	ORDNANCE PART NO.	FIG. NO.	NOMENCLATURE	UNIT OF MEAS-URE	Tool set 41-T- 3537-264 (a)	Tool set 41-T- 3537-263 (b)
NX	41-T-3537-264	41-T-3537-264		TOOL SET, MAINTENANCE, FIELD A-32, A-58			
NX	41-T-3537-263	41-T-3537-263		TOOL SET, MAINTENANCE, BASE A-32, A-58			

Tool Sets 41-T-3537-264 and 41-T-3537-263 are for maintenance of the following:

GUN, SUBMACHINE, CAL. .45, M3 AND
M3A1 (SNL A-58)

GUN, SUBMACHINE, CAL. .45, THOMPSON, M1928A1, M1 AND M1A1
(SNL A-32)

All items with quantities indicated in column 7(a) are components of Tool Set, Maintenance, Field. The complete tool set may be requisitioned under stock No. 41-T-3537-264. However, any individual item may be requisitioned under its own stock number.

M-5	X	A032-5504036	5504036
	NX	41-C-1610	41-C-1610
A-58	NX	A058-0183063	C153431
A-58	NX	41-R-2370-425	41-R-2370-425
A-32	X	A032-0200060	C64183
M-5	NX	41-R-2712	41-R-2712
	NX	41-W-1998-775	41-W-1998-775

All items with quantities indicated in column 7(b) are components of Tool Set, Maintenance, Base. The complete tool set may be requisitioned under stock No. 41-T-3537-263. However, any individual item may be requisitioned under its own stock number.

1⑧	BRUSH, cleaning, cal. .45, M5.....	ea	6	60
1⑤	CLAMP, barrel (vise), cal. .45 submachine gun.....	ea	-	1
1⑦	FILLER, magazine, manual, cal. .45, M1.....	ea	3	-
6⑥	REMOVER, extractor and pin.....	ea	3	3
6⑤	ROD, cleaning, submachine gun, cal. .45.....	ea	4	15
6④	ROLL, tool, canvas, empty, M6, size 18 x 18 in.....	ea	1	-
	WRENCH, receiver and barrel (for M1928A1 only)-	ea	-	1

(1) NOTE SYMBOL (INCL. EXP.)	(2) STOCK NO.	(3) ORDNANCE PART NO.	(4) FIG. NO.	(5) NOMENCLATURE	(6) UNIT OF MEAS- URE	(7) QUANTITY PER—	
						Tool set 41-T- 3537-460 (a)	Tool set 41-T- 3537-459 (b)
NX	41-T-3537-460	41-T-3537-460		TOOL SET, MAINTENANCE, FIELD	A-4		
NX	41-T-3537-459	41-T-3537-459		TOOL SET, MAINTENANCE, BASE	A-4		

	NX	41-B-1373-150	41-B-1373-150		BLOCK, barrel holding, S, cal. .30, BAR.....	ea	-----	1
A-4	X	A004-0200051	D28362	1③	BRUSH, chamber cleaning, M1.....	ea	6	36
M-5	NX	41-E-557-175	41-E-557-175	1⑦	EXTRACTOR, ruptured cartridge, Mk II.....	ea	3	9
A-4	NX	A004-0200190	C7913	1⑦	FILLER, magazine, cal. .30.....	ea	3	-----
	NX	41-T-3008-625	41-T-3008-625	8②	TOOL, alignment, buffer tube.....	ea	-----	1
A-19	NX	41-T-3081-110	41-T-3081-110	8③	TOOL, cleaning, gas cylinder.....	ea	3	3
A-4	NX	41-T-3085-250	41-T-3085-250	8③	TOOL, comb., hook spanner and screwdriver ⁶	ea	3	3
					or			
A-4	NX	41-T-3085-275	41-T-3085-275	8③	TOOL, comb., hook spanner and screwdriver, BAR.....	ea	-----	-----
	NX	41-T-3369-40	41-T-3369-40	8②	TOOL, test, bolt length, cal. .30 BAR.....	ea	-----	1
M-5	NX	41-W-1998-625	41-W-1998-625	10②	WRENCH, receiver and barrel (single open end, size of opening 1.545 in., length 14 $\frac{3}{8}$ in.).	ea	-----	3


⁶ To be issued until supply is exhausted; then use Tool 41-T-3085-275.

(1) NOTE SYMBOL (INCL. EXP.)	(2) STOCK NO.	(3) ORDNANCE PART NO.	(4) FIG. NO.	(5) NOMENCLATURE	(6) UNIT OF MEAS- URE	(7) QUANTITY PER—	
						Field main- tenance (a)	Base main- tenance (b)
				INSPECTION TOOLS FOR RIFLE, AUTOMATIC, CAL. .30, BROWNING, M1918A2 A-4-I			
				All items with quantities indicated in column 7(a) are available for field maintenance. All items with quantities indicated in column 7(b) are available for base maintenance. Each item will be requisitioned under its own stock number.			
93	M-5 NX	41-G-29	41-G-29	1⑧ GAGE, breech bore, cal. .30-----	ea	3	12
	M-5 NX	41-G-200-75	41-G-200-75	1⑧ GAGE, headspace, cal. .30, headspace length 1.940 in.	ea	3	6
	M-5 NX	41-G-200-100	41-G-200-100	1⑧ GAGE, headspace, cal. .30, headspace length 1.946 in.	ea	3	6
	M-5 NX	41-G-200-130	41-G-200-130	1⑧ GAGE, headspace, cal. .30, headspace length 1.950 in.	ea	3	6
	NX	41-G-198-500	41-G-198-500	1⑧ GAGE, plug, no go, diam 0.0503 in., gas cylinder diam, cal. .30.	ea	3	3
	NX	41-G-254-295	41-G-254-295	1⑧ GAGE, plug, no go, diam 0.105 in., firing pin hole, cal. .30.	ea	-----	1
	NX	41-G-250	41-G-250	1⑧ GAGE, ring, no go, diam 0.494 in., piston diam, cal. .30.	ea	3	3
	M-5 NX	41-R-2330-975	41-R-2330-975	6⑥ REFLECTOR, barrel, cal. .30 rifle-----	ea	3	25
	M-5 NX	41-R-2705-27	41-R-2705-27	6④ ROLL, tool, canvas, empty, M12-----	ea	1	-----


NOTES

NX Items marked by NX are nonexpendable.


X Items marked by X are expendable.




ANVIL-41-A-284-160

INCHES
6


ANVIL-41-A-284-210




ANVIL-41-A-284-125




ANVIL-41-A-284-155



ANVIL-41-A-284-550




ANVIL-41-A-284-215



ANVIL-41-A-284-205

RA PD 115378


Figure 1. ① Maintenance tools.




ANVIL-41-A-284-250




ANVIL-41-A-284-450

INCHES
6


ANVIL-41-A-284-200

ADAPTER-
41-A-25-200

ANVIL-41-A-284-175



ANVIL-41-A-284-150



ANVIL-41-A-284-255

RA PD 115379

Figure 1. ②—Continued.




BRUSH, CAL. .45, M5-5504036




BRUSH, CAL. .60-7161760



BRUSH, M1-D28362




BRUSH -7162702



BRUSH, CAL. .30-5564174



BRUSH, CAL. .50, M4-5504037



BRUSH, M6-6108828

INCHES	1	1	2	1	3




BRUSH, CAL. .30, M2-5504035

RA PD 115380

Figure 1. ③—Continued.


INCHES	3	6
--------	---	---

COMPRESSOR—41-C-2555-55




RA PD 115381

Figure 1. ④—Continued.



BLOCK—41-B-1412-50



CLAMP—41-C-1610

COUNTERSINK—
41-C-2650-85



COUNTERBORE—
40-C-1145-100

RA PD 115382


1	2	3
INCHES		

BLOCK—41-B-1373-150

Figure 1. ⑤—Continued.




CHEST-41-C-855



CASE-41-C-467-155

1 1 2 3 4 5 6
INCHES

CASE-
41-C-467-163




CASE-7161757



CASE-41-C-467-157



CASE, M15-5564274



CASE-41-C-467-159



CASE-41-C-467-161

RA PD 115383

Figure 1. ⑥—Continued.





Figure 1. ⑦—Continued.

RA PD 115384



GAGE—41-G-29



GAGE—
41-G-250



GAGE—
41-G-254-295



GAGE—41-G-200-75



GAGE—41-G-200-100

INCHES	1	2	3
--------	---	---	---





GAGE—41-G-198-500



GAGE—41-G-200-130

RA PD 91752B

Figure 1. (8)—Continued.



1	2	3
INCHES		




Figure 1. ⑨—Continued.

RA PD 115386




Figure 1. ⑩—Continued.





Figure 2. Machine, belt filling, Browning, M1918—6501262.



Figure 3. Machine, link loading, hand operated, M3, capacity 20 rounds—6535341.



RA PD 115389

Figure 4. Machine, riveting--40-M-39-450, w/guards removed.



RA PD 108545

Figure 5. Machine, link-delinking, cal. .50, M7-716008.





Figure 6. ① Maintenance tools.



PEIN—41-P-268-140



PEIN—41-P-268-110




PEIN—41-P-268-100



PEIN—41-P-267-175



PEIN—41-P-268-90



PEIN—41-P-268-130



PEIN—41-P-268-250



PEIN—41-P-268-120

INCHES	1	1	2	1	3

RA PD 115391

Figure 6. ②—Continued.












Figure 6. ③—Continued.





RA PD 115393

Figure 6. ④—Continued.

1 1 2 3
INCHES




51




RA PD 115394


Figure 6. ⑥—Continued.



REFLECTOR—
41-R-2331-25



REFLECTOR—
41-R-2330-975



STAMP—41-S-4899




REMOVER—41-R-2370-425

INCHES	1	1	2	1	3

RA PD 115395

Figure 6. ⑥—Continued.



RA PD 115396

Figure 7. Stand, holding, water cooled machine gun—41-S-4971.




Figure 8. ① Maintenance tools.




Figure 8. ②—Continued.




Figure 8. ③—Continued.




Figure 9. Tool set, special—41-T-3336-51.




Figure 10. ① Maintenance tools.




Figure 10. ②—Continued.




Figure 10. ③—Continued.

SNL NUMBER OR CODE REFERENCE INDEX

MAJOR ITEM

<i>SNL No.</i>		<i>Page</i>
A-4	Rifle, Automatic, Cal. .30, Browning, M1918A2	34
A-4-I	Inspection Tools for Rifle, Automatic, Cal. .30, Browning, M1918A2	36
A-5	Gun, Machine, Cal. .30, Browning, M1917A1	16
A-6	Gun, Machine, Cal. .30, Browning, M1919A4, M1919A5 and M1919A6	18
A-28	Gun, Machine, Cal. .30, Browning, AN-M2, Aircraft	19
A-32	Gun, Submachine, Cal. .45, Thompson, M1928A1, M1 and M1A1	32
A-37	Gun, Machine, Cal. .50, BMG, M2, Watercooled, Flexible; and Mounts	28
A-58	Gun, Submachine, Cal. .45, M3 and M3A1	32
A-64	Gun, Machine, Cal. .60, T17E5	30

TOOL SET

<i>Code Reference</i>		<i>Page</i>
C	Tool Sets, Maintenance, Small Arms, Group A Matériel (Common Tools)	5
S	Kit, Tool, Small Arms, Supplemental	8
30M	Tool Sets, Maintenance, Including Inspection Tools (Cal. .30 BMG)	10
30I	Inspection Tools for Gun, Machine, Cal. .30, All Types	12
30R	Riveting Tools and Fixtures, Cal. .30 BMG	13
50M	Tool Sets, Maintenance, Gun, Machine, Cal. .50 (All Types)	21
50I	Tool Sets, Maintenance (Inspection Tools for Gun, Machine, Cal. .50, BMG, M2, All Types)	24
50R	Tool Sets, Maintenance (Riveting Tools and Fixtures for Cal. .50 Machine Gun, All Types)	26

STOCK NUMBER—SNL NUMBER OR CODE REFERENCE INDEX

This index lists all the stock numbers plus the related part numbers and figure numbers appearing in this standard nomenclature list. The SNL No. of the Major Item or the code reference of the Tool Set is listed opposite each stock number to denote the Major Item or Tool Set to which the tool, represented by the stock number, pertains. A tool may carry more than one such SNL No. or code reference, thereby indicating the total number of Major Items or Tool Sets to which the particular tool is applicable. To obtain the specific Major Item or Tool Set represented by the SNL No. or code reference, refer to the "SNL NUMBER OR CODE REFERENCE INDEX."

STOCK NO.	BASIC NOUN	FIGURE NO.	SNL NO. OR CODE REFERENCE
41-A-25-200	ADAPTER	1②	50R
41-A-284-125	ANVIL	1①	30R
41-A-284-150	ANVIL	1②	50R
41-A-284-155	ANVIL	1①	30R
41-A-284-160	ANVIL	1①	30R
41-A-284-175	ANVIL	1②	50R
41-A-284-200	ANVIL	1②	50R
41-A-284-205	ANVIL	1①	30R
41-A-284-210	ANVIL	1①	30R
41-A-284-215	ANVIL	1①	30R
41-A-284-220	ANVIL	1①	30R
41-A-284-250	ANVIL	1②	50R
41-A-284-255	ANVIL	1②	50R
41-A-284-450	ANVIL	1②	50R
41-A-284-500	ANVIL		50R
41-A-284-550	ANVIL	1①	30R
41-A-339-17	ARBOR	9	A-64
38-B-3325	BRUSH		S
41-B-345	BASE		50I
41-B-1163-20	BLADE		C
41-B-1373-150	BLOCK	1⑤	A-4
41-B-1412-50	BLOCK	1⑤	30R
57-B-13785	BURNER	1④	A-5
40-C-1145-100	COUNTERBORE	1⑥	50M
41-C-354	CALIPER		30I
41-C-467-155	CASE	1⑥	50I
41-C-467-157	CASE	1⑥	30I
41-C-467-159	CASE	1⑥	50I
41-C-467-161	CASE	1⑥	30I
41-C-467-163	CASE	1⑥	50I
41-C-855	CHEST	1⑥	C, S
41-C-1610	CLAMP	1⑤	A-32, A-58
41-C-2555-55	COMPRESSOR	1④	A-64
41-C-2650-85	COUNTERSINK	1⑥	50M
41-D-1470	DRIFT		C, S
41-D-1525	DRIFT		C
41-E-34-500	EXPANDER	1⑦	30R
41-E-450	EXPANDER	1⑦	30R
41-E-557-50	EXTRACTOR	1⑦	S, 50M
41-E-557-175	EXTRACTOR	1⑦	A-4
41-E-557-200	EXTRACTOR	1⑦	30M
41-F-870	FILE		C
41-F-939	FILE		C
41-F-1179	FILE		C
41-F-1317	FILE		C
41-F-1572	FILE		C
41-F-2545	FILE		C
41-F-3250	FORK	9	A-64
41-F-3394	FRAME		C
41-G-29	GAGE	1⑧	A-4-I, 30I
41-G-29-50	GAGE	1⑨	50I

STOCK NO.	BASIC NOUN	FIGURE NO.	SNL NO. OR CODE REFERENCE
41-G-139	GAGE	30I	
41-G-142	GAGE	50I	
41-G-181-300	GAGE	1⑩	30I
41-G-182-50	GAGE	1⑩	30I
41-G-182-200	GAGE	1⑨	50I
41-G-182-250	GAGE	1⑩	30I
41-G-194-75	GAGE		30I
41-G-194-85	GAGE		30I
41-G-198-500	GAGE	1⑧	A-4-I
41-G-200-75	GAGE	1⑧	A-4-I
41-G-200-100	GAGE	1⑧	A-4-I
41-G-200-130	GAGE	1⑧	A-4-I
41-G-201-70	GAGE	1⑩	30I
41-G-201-175	GAGE	1⑨	50I
41-G-215	GAGE	1⑩	30I
41-G-217-500	GAGE	1⑨	50I
41-G-228-50	GAGE	1⑩	30I
41-G-228-75	GAGE	1⑨	50I
41-G-241	GAGE	1⑩	50I
41-G-250	GAGE	1⑧	A-4-I
41-G-254-295	GAGE	1⑧	A-4-I
41-G-259	GAGE	1⑨	50I
41-G-337	GAGE		30I
41-G-339-500	GAGE	1⑩	30I
41-G-411-6	GAGE		C, S
41-H-169-30	HAMMER		C
41-H-500	HAMMER		C
41-H-521	HAMMER		C
41-H-1116	HANDLE		C
41-H-1498-90	HANDLE		A-64
41-H-1510	HANDLE		30M, 50M
41-H-2365-500	HOLDER	6①	30R
41-I-700	IRON		30M, 50M
41-J-323	JAW		A-28
41-K-226-500	KIT		S
40-M-39-450	MACHINE	4	50R
41-P-173	PARALLEL	6①	30R
41-P-267-20	PEIN	6③	50R
41-P-267-150	PEIN	6③	50R
41-P-267-175	PEIN	6②	30R
41-P-268-90	PEIN	6②	30R
41-P-268-100	PEIN	6②	30R
41-P-268-110	PEIN	6②	30R
41-P-268-120	PEIN	6②	30R
41-P-268-130	PEIN	6②	30R
41-P-268-140	PEIN	6②	30R
41-P-268-250	PEIN	6②	30R, 50R
41-P-596-400	PIN	9	A-64
41-P-1543-125	PLATE	6⑧	50R
41-P-1652	PLIERS		C
41-P-1839	PLIERS		C

STOCK NO.	BASIC NOUN	FIGURE NO.	SNL NO. OR CODE REFERENCE
41-P-1991	PLIERS	C	
41-P-1992-6	PLIERS	C	
41-P-2325	POST	6③	50R
41-P-2325-50	POST	6③	50R
41-P-2325-55	POST	6①	30R
41-P-2325-60	POST	6①	30R
41-P-2325-65	POST	6①	30R
41-P-2325-70	POST	6①	30R
41-P-3185	PUNCH	C	
41-P-3550	PUNCH	C	
41-P-3552	PUNCH	C	
41-P-3560	PUNCH	C, S	
41-P-3563	PUNCH	C, S	
41-P-3601	PUNCH	C	
41-P-3640	PUNCH	C, S	
24-R-148	ROLL	6④	A-5
41-R-2330-975	REFLECTOR	6⑥	A-4-I, 301
41-R-2331-25	REFLECTOR	6⑥	S, 50I
41-R-2370-425	REMOVER	6⑥	A-32, A-58, A-64
41-R-2585	ROD		50I
41-R-2587	ROD		50I
41-R-2589	ROD		50I
41-R-2705-27	ROLL	6④	A-4-I, 30I, 30M
41-R-2712	ROLL	6④	A-32, A-58
41-R-2734-150	ROLL	6④	A-5, A-64, 50I, 50M
41-R-3065	RULE		S, 50M
41-S-1076	SCREWDRIVER		A-64
41-S-1100	SCREWDRIVER		A-64
41-S-1101	SCREWDRIVER		C
41-S-1102	SCREWDRIVER		A-64
41-S-1104	SCREWDRIVER		C
41-S-4899	STAMP	6⑥	50I
41-S-4971	STAND	7	A-5
41-S-5577-150	STONE		C
41-T-1049-900	TAP	8①	A-5
41-T-1565-700	TAP	8①	A-5
41-T-3008-625	TOOL	8②	A-4
41-T-3016-450	TOOL	8②	50M
41-T-3081-35	TOOL	8①	A-28
41-T-3081-40	TOOL	8③	A-6
41-T-3081-110	TOOL	8③	A-4
41-T-3085-250	TOOL	8③	A-4
41-T-3085-275	TOOL	8③	A-4
41-T-3086	TOOL	8①	A-28
41-T-3086-50	TOOL	8②	50M
41-T-3098	TOOL	8①	S, 50M
41-T-3269-75	TOOL	8②	S, 50M
41-T-3315	TOOL	8①	A-28
41-T-3315-100	TOOL	8③	S, 50M
41-T-3338-275	TOOL	8②	50R
41-T-3366-51	TOOL SET	9	A-64

STOCK NO.	BASIC NOUN	FIGURE NO.	SNL NO. OR CODE REFERENCE
41-T-3369-40	TOOL	8②	A-4
41-T-3378-80	TOOL	8③	S, 50M
41-T-3537-230	TOOL SET		30M
41-T-3537-232	TOOL SET		30M
41-T-3537-235	TOOL SET		A-5
41-T-3537-236	TOOL SET		A-5
41-T-3537-239	TOOL SET		A-6
41-T-3537-240	TOOL SET		A-6
41-T-3537-242	TOOL SET		A-28
41-T-3537-243	TOOL SET		A-28
41-T-3537-246	TOOL SET		50M
41-T-3537-247	TOOL SET		50M
41-T-3537-250	TOOL SET		50I
41-T-3537-251	TOOL SET		50I
41-T-3537-254	TOOL SET		50R
41-T-3537-257	TOOL SET		A-37
41-T-3537-258	TOOL SET		A-37
41-T-3537-261	TOOL SET		A-64
41-T-3537-262	TOOL SET		A-64
41-T-3537-263	TOOL SET		A-32, A-58
41-T-3537-264	TOOL SET		A-32, A-58
41-T-3537-459	TOOL SET		A-4
41-T-3537-460	TOOL SET		A-4
41-T-3537-485	TOOL SET		C
41-T-3537-486	TOOL SET		C
41-T-3655	TORCH		30M, 50M
41-V-104	VISE		A-28, 50M
41-W-438	WRENCH	10②	S, 50M
41-W-485	WRENCH		C, S
41-W-486	WRENCH		A-5
41-W-488	WRENCH		C, S
41-W-530	WRENCH	10①	A-37
41-W-867-30	WRENCH	10①	A-5
41-W-867-32	WRENCH	10①	30M
41-W-867-786	WRENCH	10②	S
41-W-867-808	WRENCH	10②	S, 50M
41-W-867-810	WRENCH	9	A-64
41-W-867-849	WRENCH		A-37
41-W-898	WRENCH	10②	A-64
41-W-905-17	WRENCH	10①	A-5
41-W-991	WRENCH		A-64
41-W-1000	WRENCH		A-37
41-W-1008	WRENCH		A-37
41-W-1019-50	WRENCH		A-37, S
41-W-1998-625	WRENCH	10②	A-4
41-W-1998-775	WRENCH		A-32
41-W-2574	WRENCH	10②	A-6
41-W-2999-50	WRENCH		A-64
41-W-2999-75	WRENCH		A-64
41-W-2999-175	WRENCH		A-64
41-W-3242-500	WRENCH	10①	A-37

STOCK NO.	BASIC NOUN	FIGURE NO.	SNL NO. OR CODE REFERENCE
41-W-3247-475	WRENCH-----	10②	A-28
41-W-3250-50	WRENCH-----		A-64
41-W-3259-875	WRENCH-----	10①	A-37
41-W-3336-770	WRENCH-----	10①	30M, 50M
41-W-3336-825	WRENCH-----	10③	A-5
41-W-3336-875	WRENCH-----		A-5
41-W-3338-500	WRENCH-----	9	A-64
41-W-3584	WRENCH-----		S, 50M
41-W-3814-625	WRENCH-----	10③	A-5
A004-0200051	BRUSH-----	1③	A-4
A004-0200190	FILLER-----	1⑦	A-4
A005-6535395	CHEST-----		30M
A005-7160646	MACHINE-----		30M
A006-6508237	ROD-----	6⑥	30M
A019-0101240	MACHINE-----	2	30M
A028-6535341	MACHINE-----	3	A-28
A032-0200060	ROD-----	6⑤	A-32, A-58
A032-5504036	BRUSH-----	1③	A-32, A-58
A032-6108828	BRUSH-----	1③	S, 50M
A037-7160003	MACHINE-----	5	50M
A038-5504037	BRUSH-----	1③	S, 50M
A038-5564274	CASE-----	1⑥	S
A039-6535441	ROD-----	6⑤	S, 50M
A039-6535442	ROD-----	6⑥	50M
A058-0183063	FILLER-----	1⑦	A-32, A-58
A064-7161750	ROD-----	6⑥	A-64
A064-7161757	CASE-----	1⑥	A-64
A064-7161760	BRUSH-----	1③	A-64
A067-7162702	BRUSH-----	1③	S, 50M
A067-7162704	END-----	1⑦	S, 50M
B003-5564174	BRUSH-----	1③	30M
B006-0200080	ROD-----	6⑥	S, 50M
B021-5504035	BRUSH-----	1③	30M